Email correspondence to jenni.bernoulli@pharmatest.com

Introduction

Bioluminescent-labeling allows sensitive noninvasive sequential imaging of tumor development and early metastasis. However, current methods for the genetic modification of cells typically use integrating genotoxic viruses that can potentially disrupt the molecular behavior of cancer cell lines due to their random nature of integration. Here, we utilized a DNA vector that comprises a S/MAR (Scaffold/Matrix Attachment Region) element to stably modify cells that can be subsequently used in xenograft studies providing robust and long term expression without adversely affecting cellular behavior or function.

Aim of the Study

Our aim was to establish an improved, cost efficient and simple method to genetically modify human cancer cells with a bioluminescent reporter gene that can be utilized for in vivo drug development. Secondly, our aim was to study effects of VAL401 (formulation of Risperidone in Rumenic Acid) in vitro and in vivo in pancreatic cancer models.

Materials and Methods

Human Capan-1, Panc-1, MiaPaca-2 and BxPC-3 pancreatic cancer cells (ATCC, DSMZ) were stably transfected with UBC-LUC-S/MAR and cultured for 4 weeks under selection. Colonies were isolated, expanded and evaluated for luciferase expression and molecular integrity of the DNA vector.

For *in vitro* proliferation assay, parental and luciferase-labeled cells were cultured in 96-well plates. A known chemotherapy drug, 0.1 µM gemcitabine (Eli Lilly), was used as reference compound. The cells were cultured for 6 days and the effects of the gemcitabine was identified by measuring the cells at days 0, 3 and 6 using a WST-1 proliferation kit (Roche Diagnostics). Effects of VAL401 on Capan-1 proliferation was determined using CellTiter-Glo® Luminescent Cell Viability Assay (Promega, WI, USA).

For *in vivo* studies, 3 x 10⁴ parental BxPC3 and BxPC3-luc cells were inoculated into the pancreas of athymic nude mice (Envigo, the Netherlands). Tumor-bearing mice were treated with vehicle, gemcitabine (60 mg/kg, q3dx4 i.p, one week pause, q3dx4 i.p) or VAL401 (risperidone in rumenic acid doses 1 and 2 mg/kg, p.o daily). Tumor growth was followed by bioluminescence imaging (BLI) once a week (IVIS Lumina 2, Caliper Life Sciences). After sacrifice, orthotopic tumors were characterized using histology (H&E staining) and immunohistochemistry (Polyclonal Goat IgG Human/Firefly Luciferase antibody, Novus Biologicals). Stained slides were scanned using Pannoramic slide scanner (3D Histech).



FIGURE 1. Generation of genetically modified cells. pSMARt-UBC-Luc was introduced into BxPC3 cells using PeqFect reagent (PeqLab/VWR).

This figure represents the results of a typical experiment where cells can be imaged at each stage of the procedure. (A) Cells imaged 24 hours after transfection in a 6-well plate. (B) Within weeks, colonies of cells expressing luciferase can be isolated and seeded into 10 cm petri dishes (C) and expanded ad infinitum. (D) Illustrates a confluent flask of BxPC3 cells robustly expressing the transgene luciferase. The arrow represents the increasing intensity of bioluminescence (from blue to red) of transgenic Luciferase expression.



Comparison of Genetic Modification Protocols

Integrati

Construction of ge typically lengthy, genera

Generation of stabl vectors are ler

Integration of viral genetic backgro

Viral vectors have a

Potential interact vector with host

Integrating Vector expression of e

Integrated vectors variable transgene skew measure **Integrated Vec** epigene

Jenni Bernoulli¹, Matthias Bozza², Katja M. Fagerlund¹, Leila Lukin¹, Johanna Tuomela¹, Mari I. Suominen¹, Suzanne Dilly³, George Morris³, Jussi M. Halleen¹ and Richard Harbottle² ¹Pharmatest Services Ltd., Turku, Finland, ²German Cancer Research Center, Heidelberg, Germany, ³ValiRx Plc, London, United Kingdom

- Three months following the initial transfection
- procedure, total DNA was isolated from the BxPC3-Luc cell line by plasmid rescue, Southern Blot analysis and PCR demonstrated that the DNA vector remained episomal and the expression cassette remained intact.

ng Vector	Isogenic S/MAR DNA
grafts	Xenografts

ne transfer vectors is intensive, costly and ly requires	Construction of S/MAR DNA vectors is versatile and simple
le cell lines using viral ngthy and costly	Generation of stable cell lines using S/MAR DNA is cost-efficient and typically takes only a month
l vectors/pDNA alter und of tumor cells	S/MAR DNA Vectors remain episomal and therefore do not affect genetic information of the cells
a small insert capacity	S/MAR DNA has an unlimited insert capacity
ion of oncolytic viral t's immune system	S/MAR DNA is non-immunogenic
rs can influence the ndogenous genes	Non-integrating S/MAR DNA Vectors have no influence on the expression levels of endogenous genes
typically provide only expression which can ments and affect titation	S/MAR DNA Vectors provide robust, consistant and persistent transgene expression following engraftment
tors are prone to ic silencing	The transgene expression driven by S/MAR DNA Vectors is resistant to epigenetic silencing



FIGURE 2. Proliferation was determined by measuring number of viable cells. Control compound gemcitabine inhibits proliferation of both parental and luciferase-labeled cells compared the with baseline control (BL).



FIGURE 3. Cell number correlates with luminescence output. Serial dilutions of Capan-1-Luc, Panc-1-Luc, MiaPaca-2-Luc and BXPC3-luc cells were made. Luminescence was recorded 5 minutes after reagent addition. Values represent the mean of six replicates for each cell number. There is a linear relationship between the luminescence signal and the number of cells from 0 to 100.000 cells per well.



In vitro analyses of pancreatic cancer cell lines MiaPaca-2 ----0.1 μM gemcitabine –0.1 μM gemcitabine / Luc

FIGURE 4. Effects of VAL401 on Capan-1 viability on day 3. The results are shown as luminescence (CPS) measured in the CellTiter-Glo viability assay. Two asterisks (**) indicate a statistically significant effect with a p-value < 0.01 compared with the group with no added compound.



FIGURE 6. To demonstrate that the genetically modified cells generated representative xenografts whilst still retaining robust transgene expression an histopathological assessment of parental BxPC3 and the genetically modified BxPC3-luc xenografts were performed. (A) BxPC3 xenografts, (B) BxPC3-luc xenograft (H&E- staining) and (C) IHC staining of BXPC3-luc xenograft luciferasestainina.

S/MAR DNA vectors are able to generate genetically modified cells without the limitation of random genomic integration, whilst providing extra-chromosomal mitotic stability and robust and sustained transgene expression. When utilized in orthotopic xenograft studies, these luciferase-expressing cells form a reliable non-invasive imaging platform that improves substantially efficacy testing of anticancer drug candidates. VAL401, formulation of Risperidone in Rumenic Acid, inhibited Capan-1 pancreatic cancer cell proliferation *in vitro*.

Study was financially supported by the Eurostars Programme (E!8295 D-SIST).

Valta M, Fagerlund K, Suominen M, Halleen J, Tuomela J. Importance of microenvironment in preclinical models of breast and prostate cancer. World J Pharmacol. 2015; 4(1): 47-57.

Tuomela J, Forsback S, Haavisto L, Vahlberg T, Grönroos TJ, Solin O, et al. Enzyme inhibition of dopamine metabolism alters 6-[18F]FDOPA uptake in orthotopic pancreatic adenocarcinoma. EJNMMI Res. 2013;3(1):18.

Wong S-P, Harbottle RP. Genetic modification of dividing cells using episomally maintained S/MAR DNA vectors. Molecular Therapy— Nucleic Acids. 2013;2:e115.



AACR Annual Meeting 2016 **Poster # 644**

50 Years – Research for A Life Without Cancer

GERMAN CANCER RESEARCH CENTER IN THE HELMHOLTZ ASSOCIATION



Orthotopic pancreatic *in vivo* tumor model







FIGURE 5. (A) BxPC3-luc tumor growth was monitored once a week with IVIS Lumina 2. Images were taken 10 minutes after substrate injection (luciferin 3 mg/mouse ip). (B) Effect of reference compound (gemcitabine) and study compound (VAL401, 1 and 2 mg/kg) on tumor growth.

Conclusions

Acknowledgements

References



www.pharmatest.com